



For Mail  
BOX AF

AF/1700  
RESPONSE UNDER 37 CFR 1.116  
EXPEDITED PROCEDURE  
EXAMINING GROUP 1724

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Application of

Atty. Docket No.

GOODWIN D. ZWANENBURG

PHN 17665

Serial No: 09/678,457

Group Art Unit: 1724

Filed:: October 3, 2000

Examiner: I.C. CINTINS

Title: DEVICE FOR REGENERATING AN ION EXCHANGE CARTRIDGE

Commissioner for Patents:  
Washington, D.C. 20231

21  
RECEIVED  
MAR 06 2003  
TC 1700

SUPPLEMENTAL RULE 116 AMENDMENT

Sir:

Supplemental to the Rule 116 Amendment filed February 11, 2003, Applicant would like to make the following remarks under the provisions of 37C.F.R.1.116:

REMARKS

In addition to the difference between the device defined by Claims 4-9 and the device of Scholer pointed out in the Rule 116 Amendment filed February 11, 2003, it should be noted that unlike the device defined by Claims 4-9, there is no ion exchange cartridge present, for regeneration, in the device of Scholer.

While Scholer shows, in column 2, lines 8-35, the presence of ion-exchange material, specifically a zeolite, in the device shown therein, there is no